



CATALOG 2018



Welcome to our Umbrella Factory

J&E UMBRELLAS

UMBRELLA FACTORY


Tel.: +30-210-67.27.271

www.je-umbrellas.gr


Email: sales@je-umbrellas.gr



*Grand Resort
Lagonissi*



PETASOS BEACH RESORT & SPA
MYKONOS



Our central offices: 21ST Xanthou street 15451
N.Psychico Athens Greece

J&E UMBRELLAS was established in 2000. Our umbrella factory's aim is to produce strong and beautiful umbrellas. We produce umbrellas for Hotels and advertised companies. Our range of products extends from aluminum umbrellas, wooden iroko umbrellas, side arm umbrellas, umbrella systems, beach umbrellas with logo and company rain umbrellas with logo. Honestly, we want to offer the best possible umbrellas in the company market.

CATALOG CONTENT

ALUMINUM UMBRELLAS – CENTRAL POLE

MODEL ATHINA	PAGE 4,5
MODEL KALYMNOS	PAGE 6,7
MODEL SANTORINI	PAGE 8,9
MODEL ZAKYNTHOS	PAGE 10,11
CUSTOMERS – BIG ACCOUNTS	PAGE 12
MODEL LEROS	PAGE 13

WOODEN UMBRELLAS – CENTRAL POLE

MODEL SYMI	PAGE 14,15
MODEL KASTELLORIZO	PAGE 16,17

WALL UMBRELLAS

MODEL SPETSES	PAGE 18
MODEL SYROS	PAGE 19

ALUMINUM UMBRELLAS – SIDE ARM POLE

MODEL KERKYRA	PAGE 20
MODEL DELOS	PAGE 21,22,23
NANOTECHNOLOGY FABRICS – COLORS	PAGE 24
MODEL SIFNOS	PAGE 25

WOODEN UMBRELLAS – SIDE ARM POLE

MODEL AEOLOS	PAGE 26,27
MODEL PAROS	PAGE 28
MODEL NAXOS	PAGE 29

MULTIPLE UMBRELLA SYSTEMS

MODEL ANDROS	PAGE 30,31
MODEL FOLEGANDROS	PAGE 32,33,34

IRON BEACH UMBRELLAS AND UMBRELLAS WITH LOGO


OUR ART WORKS WITH LOGO	PAGE 35
FABRIC – COLORS FOR IRON BEACH UMBRELLAS	PAGE 36
IRON BEACH UMBRELLAS	PAGE 37,38
IMPORT UMBRELLAS	PAGE 39
UMBRELLAS WITH LOGO – ART WORKS	PAGE 43

LAST PAGE

Model: ATHINA

Shaft 33mm, 8 Ribs, Profile 20x10.



DIMENSION (m)	RIBS		TOTAL HEIGHT (cm)
Φ2	8		200
2x2	8		250



CEMENT BASE 35kg
(WIDTH Φ54cm)
03-08-0825, FOR SHAFT
33mm



CEMENT BASE 55kg
(WIDTH 60cm)
03-08-0821, FOR
SHAFT 33mm

FABRIC	TECHNICAL CHARACTERISTICS
ULTIMATE NANOACRYLIC	ACRYLIC 100%, NANOTECHNOLOGY FABRIC, 5YEAR GUARANTEE, INDELIBLE, WATERPROOF, LOWERS TEMPERATURE UP TO 8 DEGREES DURING SUMMER, 20 DIFFERENT COLORS.
POLYESTER 240GR	POLYESTER FABRIC, SUITABLE FOR UMBRELLAS AND OUTDOOR SOFAS. WATERPROOF. ONLY IN ECRU OR WHITE COLOR. IDEAL FOR ALLOVER PRINTING.

Possibility to buy fabric in meters. Possibility to print your logo. Ask for offer.

Model: ATHINA



ALUMINUM UMBRELLAS, POLE, SHAFT 33mm, 8 RIBS PROFILE 20X10mm, INOX SCREWS. THE UMBRELLA COVER IS PLACED ALSO WITH INOX SCREWS AND SPACERS. IT OPENS WITH INOX PULLEY SYSTEM AND ROPE.



SEMIRAMIS
ATHENS HOTEL
UMBRELLA
ALLOVER PRINT
WITH KARIM
RASHID'S
BEAUTIFUL
PATTERN.



MARATHONAS BAY



SEMIRAMIS ATHENS HOTEL UMBRELLA
ALLOVER PRINT WITH KARIM RASHID'S
BEAUTIFUL PATTERN - 2004



Model: KALYMNOS

Shaft 48mm, 8 ribs, rib profile 30x15mm.



DIMENSION (m)	RIBS	TOTAL HEIGHT (cm)	TOTAL WEIGHT (kg)	PACKING (m3)
Φ2,5	8	250	7,5	0,09
2x2	8	250	7,5	0,05
2x3	8	270	8	0,09
Φ3	8	270	10,5	0,08
3x3	8	270	14	0,10



FABRIC	TECHNICAL CHARACTERISTICS
ULTIMATE NANOACRYLIC	ACRYLIC 100%, NANOTECHNOLOGY FABRIC, 5YEAR GUARANTEE, INDELIBLE, WATERPROOF, LOWERS TEMPERATURE UP TO 8 DEGREES DURING SUMMER, 20 DIFFERENT COLORS.
ACRYLIC ECRU ONLY	ACRYLIC 100%, NANOTECHNOLOGY FABRIC, 5YEAR GUARANTEE, INDELIBLE, WATERPROOF, LOWERS TEMPERATURE UP TO 8 DEGREES DURING SUMMER ECRU COLOR ONLY.

Possibility to buy fabric in meters. Possibility to print your logo. Ask for offer.



ART NO.03-06-0609
GALVANIZED
SCREW BASE
FOR SHAFT Φ48mm



ART.NO. 03-09-0903
GALVANIZED UNDERGROUND
BASE THAT SUPPORTS BASE
ART.NO. 03-06-0610



ART.NO.
03-08-0821,
CEMENT BASE 65
KG
ART.NO. 03-08-
0823 CEMENT
BASE 85 KG

Model: KALYMNOS



ALUMINUM HEAVY DUTY UMBRELLA. ALUMINUM SHAFT AND RIBS
WITH INOX SAFETY SCREWS AND WITH INOX PULLEY SYSTEM.
SHAFT Ø48 WITH 8 RIBS PROFILE 30x15mm.



THE A HOTEL - MYKONOS



TECHNÓPOLIS






ASTARTE SUITES SANTORINI

Model: SANTORINI



Shaft $\Phi 60$, 8 ribs, rib profile 30x20x2mm.

DIMENSION (m)	RIBS	TOTAL SHAFT HEIGHT (cm) 	HEIGHT FROM THE GROUND UNTIL THE EDGE OF THE RIB WHEN UMBRELLA IS CLOSED (cm) 	HEIGHT FROM THE GROUND UNTIL THE EDGE OF THE RIB WHEN THE UMBRELLA IS OPENED (cm) 	PACKING (m3)
$\Phi 3$	8	270		241	0,12
3x3	8	270	89	232	0,13
3x4 TELESCOPIC	8	300	77	239	0,14
4x4 TELESCOPIC	8	320	80	255	0,15


FABRIC	TECHNICAL CHARACTERISTICS
ULTIMATE NANOACRYLIC	ACRYLIC 100%, NANOTECHNOLOGY FABRIC, 5YEAR GUARANTEE, INDELIBLE, WATERPROOF, LOWERS TEMPERATURE UP TO 8 DEGREES DURING SUMMER, 20 DIFFERENT COLORS.
POLYESTER 240GR	POLYESTER FABRIC, SUITABLE FOR UMBRELLAS AND OUTDOOR SOFAS. WATERPROOF. ONLY IN ECRU OR WHITE COLOR. IDEAL FOR ALLOVER PRINTING.
Possibility to buy fabric in meters. Possibility to print your logo. Ask for offer.	



ART NO.03-06-0610
GALVANIZED
SCREW BASE
FOR SHAFT $\Phi 60$ mm



ART.NO. 03-09-0903
GALVANIZED
UNDERGROUND BASE
THAT SUPPORTS BASE
ART.NO. 03-06-0610



ART. NO. 03-08-0828
GALVANIZED BASE
(DIMENSION 80x95cm)
THAT HOLDS PLATES
40x40cm. FOR SHAFT
 $\Phi 60$

Model: SANTORINI



ALUMINUM UMBRELLA WITH CENTRAL POLE, SHAFT Ø60,
RIB PROFILE 30x20x2mm, RUNNER WITH INOX RINGS,
WITH DOUBLE PULLEY SYSTEM.



Model: ZAKYNTHOS



POWER LED
INSTALLMENT –
OPTIONAL – 4 LEDS
ARE INSTALLED ON
T4 LONG RIBS AND
CONTROLLED
WIRELESS WITH
REMOTE CONTROL.




DIMENSION	A (cm)	B (cm)	D (cm)	PACKAGING (m3)
Ø8m	359	512	234	0,75
4,5x4,5m	330	447	214	0,46
5,0x5,0m	344	471	224	0,48
5,5x5,5m	359	512	234	0,52
6,0x6,0m	354	528	230	0,53
6,5x6,5m	378	552	254	0,55
3,5x5,0m	335	440	220	0,46
4,0x5,0m	344	452	234	0,46
4,5x5,5m	347	480	232	0,39
4,0x6,0m	344	479	234	0,49
5,0x6,0m	359	512	234	0,52
5,0x7,0m	376	545	240	0,53
6,0x7,0m	392	566	268	0,56

FABRIC	TECHNICAL CHARACTERISTICS
ULTIMATE NANOACRYLIC	ACRYLIC 100%, NANOTECHNOLOGY FABRIC, 5YEAR GUARANTEE, INDELIBLE, WATERPROOF, LOWERS TEMPERATURE UP TO 8 DEGREES DURING SUMMER, 20 DIFFERENT COLORS.
POLYESTER 240GR	POLYESTER FABRIC, SUITABLE FOR UMBRELLAS AND OUTDOOR SOFAS. WATERPROOF. ONLY IN ECRU OR WHITE COLOR. IDEAL FOR ALLOVER PRINTING.

Possibility to buy fabric in meters. Possibility to print your logo. Ask for offer.


Model: ZAKYNTHOS

BIG DIMENSION HEAVY DUTY ALUMINUM UMBRELLA, ALUMINUM SHAFT $\Phi 100\text{mm} \times 2\text{mm}$, WITH 8 RIBS, PROFILE $20 \times 35 \times 2,0\text{mm}$. WITHIN ALL RIBS, WE INSTALL ANOTHER ALUMINUM PROFILE $30 \times 15 \times 1,5\text{mm}$. (WITHIN THE LONG RIBS WE INSTALL PROFILES 1M LENGTH AND WITHIN THE SMALL RIBS WE INSTALL RIBS OF 0,50m LENGTH. ALSO WE INSTALL ANOTHER 4 EXTPA ALUMINUM SUPPORT RIBS ON THE LONG RIBS (INNOVATIVE). FOR THE DIMENSIONS $6,5 \times 6,5\text{m}$ KAI $6,0 \times 7,0\text{m}$ THE LONG RIBS ARE PROFILE $40 \times 20\text{mm}$ AND INNER REINFORCEMENT $30 \times 15\text{mm}$.



MODEL ZAKYNTHOS OPENS AND CLOSES WITH TELESCOPIC METHOD. IT OPENS AND CLOSES WITHOUT HAVING TO MOVE THE TABLES BELOW. ALL RIBS HAVE EASY-REPLACEMENT SYSTEM. COLOR FRAME WHITE OR ANTHRACITE. UMBRELLA COVER WITH AIRVENT AND WITH OR WITHOUT FLAPS. BASE EASY-PLACEMENT. (SEE PHOTO).





Grand Resort



Hlios Elounda Beach



Olympic Royal



Elounda Mare



Twenty One



Semiramis



Hilton Athens



DIVANI CARAVEL



The Margi



Maris Hotel



Kervelis Village



Metropolitan



Lindia Village



Kefalari suites



Astir Palace - Westin



Skiathos Palace



Vedema



Akti Vouliagmenis



Kassandra Bay



Skiathos Palace



Fenix



Skiathos Princess Elisabeth



Happy Mitilini






Cape Sounio

Model: LEROS

ALUMINUM TELESCOPIC UMBRELLA, ALUMINUM SHAFT $\Phi 60\text{mm}$, RIBS 30x15. ANTHRACIDE FRAME COLOR. EASY RIB REPLACEMENT. OPENS WITH DOUBLE PULLEY SYSTEM.



DIMENSION (m)	RIBS	 TOTAL SHAFT HEIGHT (cm)	 TOTAL HEIGHT FROM THE GROUND UNTIL THE EDGE OF THE RIB, WHEN THE UMBRELLA IS CLOSED (cm)	 TOTAL HEIGHT FROM THE GROUND UNTIL THE EDGE OF THE RIB, WHEN THE UMBRELLA IS OPENED. (cm)	TOTAL WEIGHT (kg)	PACKING (m3)
3x3	8	270	89	232	17,5	0,13
3x4	8	300	77	239	20	0,14
4x4	8	320	80	255	25	0,15



ART NO.03-06-0609
GALVANIZED
SCREW BASE
FOR SHAFT $\Phi 48\text{mm}$



ART.NO. 03-09-0903
GALVANIZED UNDERGROUND
BASE THAT SUPPORTS BASE
ART.NO. 03-06-0610




ART. NO. 03-08-0828 GALVANIZED BASE
(DIMENSION 80x95cm)
THAT HOLDS PLATES 40x40cm. FOR SHAFT $\Phi 60$



Model: SYMI

Shaft $\Phi 48$, 8 ribs, rib profile 34x18.



DIMENSION (m)	RIBS	 TOTAL SHAFT HEIGHT (cm)	 HEIGHT FROM THE GROUND TO THE RIB WHEN CLOSED (cm)	 HEIGHT FROM THE GROUND TO THE RIB WHEN OPENED (cm)	TOTAL WEIGHT (kg)	PACKING (m3)
$\Phi 3$	8	280	120	230	17	0,10
$\Phi 3,5$	8	280	100	225	18	0,10
3x3	8	280	70	230	20	0,11
2x3	6	280	95	230	16	0,14



ART NO.03-06-0609
GALVANIZED
SCREW BASE
FOR SHAFT $\Phi 48$ mm

ART.NO. 03-09-0903
GALVANIZED UNDERGROUND
BASE THAT SUPPORTS BASE
ART.NO. 03-06-0610



ART.NO.
03-08-0822,
CEMENT BASE 55
KG (DIAMETER
 $\Phi 60$ cm) FOR SHAFT
 $\Phi 48$
ART.NO. 03-08-
0823 CEMENT BASE
80 KG ($\Phi 64$ cm),
FOR SHAFT $\Phi 48$

FABRIC	TECHNICAL CHARACTERISTICS
ULTIMATE NANOACRYLIC	ACRYLIC 100%, NANOTECHNOLOGY FABRIC, 5YEAR GUARANTEE, INDELIBLE, WATERPROOF, LOWERS TEMPERATURE UP TO 8 DEGREES DURING SUMMER, 20 DIFFERENT COLORS.
POLYESTER 240GR	POLYESTER FABRIC, SUITABLE FOR UMBRELLAS AND OUTDOOR SOFAS. WATERPROOF. ONLY IN ECRU OR WHITE COLOR. IDEAL FOR ALLOVER PRINTING.

Possibility to buy fabric in meters. Possibility to print your logo. Ask for offer.

Model: SYMI






WOODEN HEAVY DUTY UMBRELLA MADE OF IROCO WOOD.
SHAFT $\Phi 48$, RIBS 34x18, DOUBLE ALUMINUM PULLEY
SYSTEM.






Model: KASTELLORIZO

Shaft $\Phi 57$, 8 ribs, rib profile 18X34.



DIMENSION (m)	 TOTAL HEIGHT (cm)	 HEIGHT FROM THE GROUND TO THE RIB WHEN CLOSED (cm)	 HEIGHT FROM THE GROUND TO THE RIB WHEN OPENED (cm)	TOTAL WEIGHT (kg)	PACKING (m3)
$\Phi 2,5$	265	125	225	11	0,09
2x2	280	120	230	12	0,09
3x3	280	70	230	21	0,11

Telescopic Opening, Shaft $\Phi 57$, 8 ribs

DIMENSION (m)	RIB PROFIL	 TOTAL HEIGHT (cm)	 HEIGHT FROM THE GROUND TO THE RIB WHEN CLOSED (cm)	 HEIGHT FROM THE GROUND TO THE RIB WHEN OPENED (cm)	TOTAL WEIGHT (kg)	PACKING (m3)
3,5x3,5	18x34			240	25	0,17
3x4	18x34	360	100	240	25	0,15
4x4	20x34	410	100	245	30	0,23

FABRIC	TECHNICAL CHARACTERISTICS
ULTIMATE NANOACRYLIC	ACRYLIC 100%, NANOTECHNOLOGY FABRIC, 5YEAR GUARANTEE, INDELIBLE, WATERPROOF, LOWERS TEMPERATURE UP TO 8 DEGREES DURING SUMMER, 20 DIFFERENT COLORS.
POLYESTER 240GR	POLYESTER FABRIC, SUITABLE FOR UMBRELLAS AND OUTDOOR SOFAS. WATERPROOF. ONLY IN ECRU OR WHITE COLOR. IDEAL FOR ALLOVER PRINTING.

Possibility to buy fabric in meters. Possibility to print your logo. Ask for offer.

Model: KASTELORIZO



WOODEN HEAVY DUTY UMBRELLA MADE OF IROCO WOOD.
SHAFT $\Phi 57$, RIBS 34x18, DOUBLE ALUMINUM PULLEY SYSTEM.



03-21-2101
BASE FOR
BUTTON KIT
MADE OF
BEECH WOOD




ART.NO.
03-08-0824,
CEMENT BASE 80 KG
(DIAMETER $\Phi 64$ cm)
FOR SHAFT $\Phi 60$



ART NO.03-06-0610
GALVANIZED
SCREW BASE
FOR SHAFT $\Phi 60$ mm


ART.NO. 03-09-0903
GALVANIZED
UNDERGROUND BASE
THAT SUPPORTS BASE
ART.NO. 03-06-0610




ART. NO. 03-08-0828
GALVANIZED BASE
(DIMENSION 80x95cm)
THAT HOLDS PLATES
40x40cm. FOR SHAFT
 $\Phi 60$

Model: SPETSES


WALL ALUMINUM UMBRELLA IN WHITE OR BLACK COLOR.
OPENING WITH PULLEY SYSTEM. WHEN THE UMBRELLA CLOSES
GOES ON THE SIDE.



2x2 - 2x3



2,5x2,5



3x3

DIMENSION (m)	RIBS	RIB PROFILE
2x2	4	30x15
2,5x2,5	4	30x15
2x3	6	30x15
3x3	8	30x15



Model: SYROS (aluminum or wooden)



SPECIAL WALL UMBRELLA WITH VERTICAL SHAFT.



SYROS - WOODEN

DIMENSION (m)	RIBS	RIB PROFILE	SHAFT	H (cm)
1,5X2,0m	4	17X29	Φ48	268
1,5X3,0m	5	17X29	Φ48	268
2,0X3,0m	5	17X29	Φ48	299



IRON GALVANIZED
BASE 70X70 X 0,5

BASE
63 KG
50X50
X 11,50

SYROS ALUMINUM

DIMENSION (m)	RIBS	RIB PROFILE	SHAFT	H (cm)
1,5X2,0m	4	30X15	Φ60	255
1,5X3,0m	5	30X15	Φ60	255
2,0X3,0m	5	30X15	Φ60	285




FABRIC	TECHNICAL CHARACTERISTICS
ULTIMATE NANOACRYLIC	ACRYLIC 100%, NANOTECHNOLOGY FABRIC, 5YEAR GUARANTEE, INDELIBLE, WATERPROOF, LOWERS TEMPERATURE UP TO 8 DEGREES DURING SUMMER, 20 DIFFERENT COLORS.
POLYESTER 240GR	POLYESTER FABRIC, SUITABLE FOR UMBRELLAS AND OUTDOOR SOFAS. WATERPROOF. ONLY IN ECRU OR WHITE COLOR. IDEAL FOR ALLOVER PRINTING.

Possibility to buy fabric in meters. Possibility to print your logo. Ask for offer.

Model: KERKYRA



SIDEARM ALUMINUM UMBRELLA, ALUMINUM SHAFT AND RIBS,
RIB PROFILE 30x15mm, SHAFT 72x72mm, SHAFT/RIBS WHITE OR BLACK,
CRANK OPENING, TURNS 360 DEGREES.




FABRIC	TECHNICAL CHARACTERISTICS
ULTIMATE NANOACRYLIC	ACRYLIC 100%, NANOTECHNOLOGY FABRIC, 5YEAR GUARANTEE, INDELIBLE, WATERPROOF, LOWERS TEMPERATURE UP TO 8 DEGREES DURING SUMMER, 20 DIFFERENT COLORS.
POLYESTER 240GR	POLYESTER FABRIC, SUITABLE FOR UMBRELLAS AND OUTDOOR SOFAS. WATERPROOF. ONLY IN ECRU OR WHITE COLOR. IDEAL FOR ALLOVER PRINTING.




Model: DELOS



SIDE-ARM ALUMINUM UMBRELLA. ALUMINUM SHAFT AND RIBS, PROFILE 92X92mm. 8 RIBS PROFILE 30x15mm. SHAFT/RIBS WHITE OR BLACK COLOR CRANCK OPENING, TURNS 360°. FOR DIMENSION 4X4 THE LONG SIDE RIBS ARE PROFILE 35x15mm.



Special profile «H» on the joint big/small rib



FABRIC	TECHNICAL CHARACTERISTICS
ULTIMATE NANOACRYLIC	ACRYLIC 100%, NANOTECHNOLOGY FABRIC, 5YEAR GUARANTEE, INDELIBLE, WATERPROOF, LOWERS TEMPERATURE UP TO 8 DEGREES DURING SUMMER, 20 DIFFERENT COLORS.
POLYESTER 240GR	POLYESTER FABRIC, SUITABLE FOR UMBRELLAS AND OUTDOOR SOFAS. WATERPROOF. ONLY IN ECRU OR WHITE COLOR. IDEAL FOR ALLOVER PRINTING.


Possibility to buy fabric in meters. Possibility to print your logo. Ask for offer.

Model: DELOS




FRESH HOTEL
www.freshhotel.gr


Model: DELOS




ULTIMATE NANOACRYLIC – FABRIC FOR UMBRELLA AND FOR CUSHION




****608-1 WHITE**




608-10 GREY




608-11 GREY*




608-12 GRAPHITE




608-17 ECRU




****608-18 ECRU***




608-20 ECRU




608-22 BROWN




608-23 BROWN




****608-24 BROWN***




608-25 MUSTARD*




608-26 IVORY




608-35 ORANGE




608-43 BORDEAUX




608-46 MAGENTA




608-6 GREY




608-60 YELLOW




608-61 RED




608-62 ECRU




608-64 BLUE




****608-65 BLACK**



990-63
GREEN APPLE



608-66
TIRQUOISE




608-67
BLUE MARIN


FABRIC	TECHNICAL CHARACTERISTICS
ULTIMATE NANOACRYLIC FOR UMBRELLA AND FOR CUSHION. WIDTH 120CM	ACRYLIC 100%, NANOTECHNOLOGY FABRIC, 5-YEAR GUARANTEE, INDELIBLE, WATERPROOF, LOWERS TEMPERATURE UP TO 8 DEGREES DURING SUMMER., TEX GARD EASY CLEAN, UV80
ULTIMATE NANOACRYLIC FOR CUSHION. WIDTH 140CM	ACRYLIC 100%, NANOTECHNOLOGY FABRIC, 5-YEAR GUARANTEE, INDELIBLE, WATERPROOF, OIL REPELLENCY, SOFT TOUCH, TEX GARD EASY CLEAN, UV80.
POLYESTER 160GR OR 240GR	POLYESTER FABRIC, SUITABLE FOR UMBRELLAS AND OUTDOOR SOFAS. WATERPROOF. ONLY IN ECRU OR WHITE COLOR. IDEAL FOR ALLOVER PRINTING, UV50+

Possibility to buy fabric in meters. Possibility to print your logo. Ask for offer.


ULTIMATE NANOACRYLIC – FABRIC ONLY FOR CUSHION




608-152 ECRU




608-153 ECRU*




608-154 ECRU*




****608-155 ECRU***




608-156 ECRU*




****608-157 BROWN***




608-158 BROWN*




608-159 GREY*




608-160 GREY




608-161 GRAPHITE*




608-162 GRAPHITE*




****608-163 BLACK**




608-164 ECRU*




608-165 GREEN*




608-166 BLUE




608-167 BLUE*




608-168 ECRU*




608-169 BLUE




608-170 BLUE*




608-171 BLUE *




608-172 BLUE*




608-173 BRICK*




608-174 BRICK




608-175 RED*




608-176 ECRU*



608-177 GREY*



608-178 GREY*



608-179 GRAPHITE*

ACRYLIC FABRIC 320 gr.
POLYESTER, ECRU ONLY.



FABRIC POLYESTER 160GR OR
240GR ECRU OR WHITE ONLY.



*COLORS WITH SPECIAL PATERN
** SAME COLOR IN BOTH PALETTES

WITH ORDER CUSTOMER IS PROVIDED
WITH A FABRIC PALETTE FOR FREE

Model: SIFNOS 4x4



SIDE ALUMINUM ARM UMBRELLA WITH ALUMINUM VERITCAL AND HORIZONTAL SHAFT, PROFILE 92x92mm. 8 RIBS PROFILE 30x15. CRANK OPENING, TURNS 360°. THE LONG SIDE RIBS ARE PROFILE 35x15mm. TELESCOPIC SHAFT.

PATENTED SYSTEM DESIGNED FOR THE UMBRELLA TO CLOSE ABOVE THE TABLES.



Special profile «H» on the joint big/small rib

TECHNICAL CHARACTERISTICS – UMBRELLA WITH PATENTED TELESCOPIC OPENING



TELESCOPIC MECHANISM UP



MAX HEIGHT (cm) 408

MIN HEIGHT (cm) 308




TELESCOPIC MECHANISM DOWN



MAX HEIGHT (cm) 358

MIN HEIGHT (cm) 258

PACKING (m3) 0,50



PATENTED TELESCOPIC MECHANISM






BASE WITH TURN-SAFETY



Model: AEOLOS



DIM (m)	A (cm) 	C (cm) 	D (cm) 	AKTINES	RIB PROFILE (mm)	SHAFT PROFILE (mm)	BAMBOO PLATES (KG)
Φ3,5	310	210	82	8	35x20	93x93	2X70KG=140KG
3x3	320	210	60	8	35x20	93x93	2X70KG=140KG
3,4x3,4	336	210	43	8	35x20	93x93	4X50KG=200KG
2,5x3,5	340	210	68	8	35x20	93x93	2X70KG=140KG
3x4	340	210	40	8	35x20	93x93	4X50KG=200KG



Ground Base



Base with Concrete
plates covered with
bamboo wood.

Model: AEOLOS



SIDE ARM EXTRA HEAVY DUTY WOODEN UMBRELLA WITH LAMINATE BAMBOO TESTED FOR **90KM AIR-WIND**.



SIDE ARM EXTRA HEAVY DUTY WOODEN UMBRELLA WITH LAMINATE BAMBOO TESTED FOR 90KM AIRWIND WHEN IT IS HORIZONTAL FIXED AND ITS SIDE-ARM RIB IN ITS PLACE. TURNS 360°, BENDS UP TO 45° FOR BETTER SHADOW. INOX SCREWS. BASE AND ACCESSORIES PAINTED E-COATED. INOX WIRE. CRANK OPENING. INOX "Π" FOR EASY-RIB REPLACEMENT.



See address: <https://www.youtube.com/watch?v=oHP2tafPHOM>, watch short video with the test we did to prove that the umbrella endures 90km air-wind.



The umbrella has been tested to endure 90km air-wind in condition the umbrella is fixed in horizontal place, and its side-arm rib is fixed on the shaft and umbrella hut and the does not move from its base.


SAFETY CLOSING SYSTEM, SHAFT 93X93mm. LAMINATE BAMBOO EQUIVALENT TO STAINLESS STEEL'S ENDURANCE.



Model: PAROS 2x3m



SIDE ARM WOODEN UMBRELLA, VERTICAL SHAFT MADE OF IROCO WOOD, HORIZONTAL SHAFT MADE OF ALUMINUM IN ANTRHACITE COLOR. 8 RIBS PROFILE 29x17mm, SHAFT 72x72mm. CRANK OPENING. TURNS 360 DEGREES.






FABRIC	TECHNICAL CHARACTERISTICS
ULTIMATE NANOACRYLIC	ACRYLIC 100%, NANOTECHNOLOGY FABRIC, 5YEAR GUARANTEE, INDELIBLE, WATERPROOF, LOWERS TEMPERATURE UP TO 8 DEGREES DURING SUMMER, 20 DIFFERENT COLORS.
POLYESTER 240GR	POLYESTER FABRIC, SUITABLE FOR UMBRELLAS AND OUTDOOR SOFAS. WATERPROOF. ONLY IN ECRU OR WHITE COLOR. IDEAL FOR ALLOVER PRINTING.

Possibility to buy fabric in meters. Possibility to print your logo. Ask for offer.

Model: NAXOS



SIDE ARM WOODEN UMBRELLA, VERTICAL SHAFT MADE OF IROCO WOOD, HORIZONTAL SHAFT MADE OF ALUMINUM IN ANTHRACITE COLOR. 8 RIBS PROFILE 35x17mm, SHAFT 92x92mm. CRANK OPENING. TURNS 360 DEGREES.



DIMENSION	RIBS	RIB PROFILE (mm)	SHAFT (mm)
3x3	8	29x17	92x92
3x4	8	35x17	92x92
4x4	8	35x17	92x92




Model: ANDROS




UMBRELLA SYSTEM OF 2 SIDE ARM UMBRELLAS, “V” TYPE.
CENTRAL SHAFT113x113mm, HORIZONTAL SHAFT 92x92mm.
RIB PROFILE 30x15, SHAFT/RIBS WHITE OR BLACK COLOR. CRANK OPENING. ALSO
WITH WATER FABRIC GUTTER.



Special profile
«H» on the joint
big/small rib



DIMENSION		SPECIAL NOTES
3x6	Y max (cm) 324 Y min (cm) 240	CLOSES ABOVE TABLES
3,5x7	Y max (cm) 348 Y min (cm) 254	DOES NOT CLOSE ABOVE TABLES
4x8	Y max (cm) 386 Y min (cm) 271	DOES NOT CLOSE ABOVE TABLES THE SIDE LONG RIBS ARE PROFILE 35x15mm

Model: FOLEGANDROS



SYSTEM OF 4 SIDE ARM UMBRELLAS. CENTRAL SHAFT 113x113cm, HORIZONTAL 92x92cm. RIB PROFILE 30x15, SHAFT AND RIBS IN WHITE OR BLACK COLOR. CRANK OPENING. FOR DIMENSIONS 7x7 AND 8x8, THE WHOLE SYSTEM OPENS IN TELESCOPIC WAY (INNOVATIVE).



Special profile «H» on the joint big/small rib

DIM.					
6x6 7x7 8x8	TELESCOPIC MECHANISM UP	Y max (cm) 324 Y min (cm) 240		TELESCOPIC MECHANISM DOWN	Y max (cm) 324 Y min (cm) 240
		Y max (cm) 398 Y min (cm) 304			Y max (cm) 348 Y min (cm) 254
		Y max (cm) 436 Y min (cm) 321			Y max (cm) 386 Y min (cm) 271

ADVERTISING UMBRELLAS PRINTED WITH LOGO



ΟΜΠΡΕΛΕΣ ΠΛΑΖ

ART.NO.: 03-05-0552

IRON BEACH

UMBRELLA, 2m ROUND

WITH 10 RIBS,

SHAFT 22/25,

FABRIC POL600D.



Art. No.03-08-0800 Base
25kg for shaft Φ 25 or
 Φ 33.



Art. No. 03-18-0819 Plastic
Base for shaft Φ 25. Width
 Φ 46,50cm. Total Heightc;
24,5cm.



ART.NO.: 03-09-
0901 NAILED
IRON BASE FOR
SHAFT Φ 25.

ART.NO.: 03-09-
0902 NAILED
IRON BASE FOR
SHAFT Φ 33.



IRON BEACH UMBRELLAS



ART.NO.: 03-05-0552
IRON BEACH
UMBRELLA, 2m ROUND
WITH 10 RIBS,
SHAFT 22/25,
FABRIC POL600D.



ART.NO.: 03-05-0553
IRON BEACH
UMBRELLA, 2m ROUND
WITH 10 RIBS,
SHAFT 22/25,
FABRIC POL240gr.



ART.NO.: 03-05-562
IRON BEACH UMBRELLA,
130x130cm SQUARE WITH RIBS,
SHAFT 22/25, FABRIC POL600D.



FABRIC	TECHNICAL CHARACTERISTICS
POLYESTER 600D	380GRM/M2, PVC COVER. 100% WATERPROOF, DOUBLE PHASE. SUN PROTECTION. HEAVY FABRIC.
POLYESTER 240	POLYESTER 240GR, WATERPROOF.

IMPORTED UMBRELLAS

ART.NO.: 03-37-3701

WOODEN IMPORTED UMBRELLA

ROUND $\Phi 3$

SHAFT $\Phi 48$,

RIB PROFILE 28x17

FABRIC POL240GR.



ART.NO.: 03-37-3702

SQUARE 3X3



AR.NO.: 03-36-3601

ALUMINUM IMPORTED

SQUARE 3x3

SHAFT $\Phi 48$,

RIB PROFILE 18x12

FABRIC POL240GR.



ΚΩΔΙΚΟΣ: 03-36-3602

IMPORTED ALUMINUM

ROUND $\Phi 3$

SHAFT $\Phi 48$,

RIB PROFILE 18x12

FABRIC POL240GR.



ART.NO: 03-36-360 ALUMINUM

TELESCOPIC, 4X4, SHAFT $\Phi 60$,

RIB PROFILE, FABRIC POL160GR

ART.NO.

03-08-0822,

CEMENT BASE 55

KG (DIAMETER

$\Phi 60$ cm) FOR SHAFT

$\Phi 48$

ART.NO. 03-08-

0823 CEMENT BASE

80 KG ($\Phi 64$ cm),

FOR SHAFT $\Phi 48$



ART NO.03-06-0609

GALVANIZED

SCREW BASE

FOR SHAFT $\Phi 48$ mm



ART.NO. 03-09-0903

GALVANIZED

UNDERGROUND BASE

THAT SUPPORTS BASE

ART.NO. 03-06-0610

J&E UMBRELLAS
UMBRELLA FACTORY

Tel: 0030 - 210-67.27.271
www.je-umbrellas.gr